

COLD WATER PRESSURE WASHERS



MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE



KC3250GPC2

GASOLINE
2,500 PSI @ 3.0 GPM
6.5 HP Honda GX200



KC4350GPC2

GASOLINE
3,500 PSI @ 3.8 GPM
13 HP Honda GX390



CR4035BG

GASOLINE
3,500 PSI @ 3.8 GPM
13 HP Honda GX390



KC2100EPC2

ELECTRIC
1,000 PSI @ 2.1 GPM
1.5 HP - 120 V



C5030BE1

ELECTRIC
3,000 PSI @ 5.0 GPM
10.0 HP - 240 V Motor

PERFECT
FOR
LARGER
JOBS!



CWM3621DET1

ELECTRIC
2,100 PSI @ 3.6 GPM
5.0 HP - 240 V Motor



KC3250EWM

ELECTRIC
2,500 PSI @ 3.0 GPM
5.0 HP - 240 V Motor

WALL MOUNT - WALL MOUNT - WALL MOUNT - WALL MOUNT - WALL MOUNT

HOT WATER PRESSURE WASHERS



MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE - MOBILE



H4030BEF1

ELECTRIC
3,000 PSI @ 3.8 GPM
7.5 HP - 240 V Motor



H4030DEF1

ELECTRIC
3,000 PSI @ 4.0 GPM
7.5 HP 240 V Motor



H4035DGF

GASOLINE
3,500 PSI @ 3.8 GPM
13 HP Honda GX390

PRESSURE WASH COMPONENTS



LANCES - NOZZLES - SPRAY GUNS - HOSES - HOSE REELS - FOAMERS - LANCES - NOZZLES - SPRAY GUNS - HOSES

ECONOMICAL LANCES

Part No.	Length	Grip
L1	36"	Round
L2	48"	Round

- 4,000 PSI Max Pressure
- 1/4" NPT-M Inlet/ Outlet
- Round Molded Grip
- Zinc Plated



UR25 ROTATING NOZZLE

Part No.	Orifice Size
UR25	03, 035, 04, 045, 05, 055, 06, 065, 07, 08

- 3,650 PSI Max Pressure
- 212°F Max Temperature
- 1/4" BSP-F Inlet
- 14.46 oz Weight
- Size may change based on performance



QC & - 1/4 MPT NOZZLES

Ordering Information		
PWQC	Quick Connect	Spray Angles Available: 00, 15, 25 or 40 Degree
PW1/4M	1/4" MPT	Orifice Sizes: 02, 025, 03, 032, 035, 037, 04, 045, 05, 055, 06, 07, 075, 08, 085, 09, 10

- 5,000 PSI Max Pressure
- Hardened SS Orifice in a SS Housing
- 1/4" MPT or QC Connection
- QC Nozzles colour coded based on spray angle



RB65 - WASHDOWN GUN

Part No.	Inlet
RB65	1/2" BSP-F
RB65SW	1/2" BSP-F-SW

- 350 PSI Max Pressure
- 16.0 GPM Max Flow
- Adjustable Spray Pattern
- Brass



G250EZ - COMPENSATING GUN

Part No.	Inlet
G250EZ	3/8" NPT-F

- 5,000 PSI Max Pressure
- 10.5 GPM Max Flow
- 320°F Max Temperature
- 1/4" NPT-F Outlet



RL37 - SPRAY GUN

Part No.	Inlet
RL37	3/8" NPT-F

- 5,000 PSI Max Pressure
- 10.5 GPM Max Flow
- 320°F Max Temperature
- 1/4" NPT-F Outlet



FML01T/FML02T FOAM LANCE WITH TANK

Part No.	Description
FML01T	Foamer with 1L Tank
FML02T	Foamer with 2L Tank

- 2,900 PSI Max Pressure
- 6.5 GPM Max Flow
- 140°F Max Temperature
- 1/4" BSP-F Inlet
- 1.5 mm Injector
- Replacement 1L tank 14650625P
- Replacement 2L tank 14650700P



BLACK 4000PSI HOSES

Part No.	Pressure	Length
HWN30	4,000 PSI	30'
HWN50		50'
HWN100		100'

- 250°F Max Temperature
- Inlet 3/8" NPT Male Solid
- Outlet 3/8" NPT Male Swivel
- Steel Wire Braid



RAMEX - SPRING REWIND

Part No.	Capacity	ID
HR3500FE	115'	1/4", 3/8", 1/2"

- 3,500 PSI Max Pressure
- 280°F Max Temperature
- 1/2" M Inlet & F Outlet
- Powder Coated Steel (Also available in Stainless Steel)
- Hose Bumper Included



ECONOMICAL HOSE REEL

Part No.	Capacity	ID
HR150NR	150'	3/8"

- 4,000 PSI Max Pressure
- 185°F Max Temperature
- 3/8" NPT-M Inlet
- 3/8" NPT-F Outlet
- Also available in Stainless Steel



COMPACTION EQUIPMENT



MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS - MIXERS



BGMINIMIX	150E	150EPD	150H	150HPD
Engine Type	Electric		Electric	
Engine Power	0.75 HP		4.0 HP	
Voltage / Phase	115V 1PH		N/A	
Drum Volume	4.6 cu.ft			
Mixing Output	3.2 cu.ft			
Drum Speed	24 RPM			
Drum Material	Steel	Poly	Steel	Poly
Dimensions (LxWxH)	48" x 24" 35"			
Weight	123 lbs		135 lbs	

COMPACTORS - COMPACTORS - COMPACTORS - COMPACTORS - COMPACTORS - COMPACTORS - COMPACTORS - COMPACTORS



BGPCEL320XH



BGPC20AH

BGPCEL320XH	BGPCX20AH
Extra Light Weight Forward Compactor	Forward Plate Compactor

Engine	Honda GX100 - 98CC	Honda GX120 - 118CC
Engine Type	Gasoline	
Centrifugal Force	2,472 lbf	
Travel Speed	75ft/min	53ft/m
Plate Size (W x L)	12" x 14.3"	19.7" x 22.8"
Weight	108 lbs	156 lbs



BGPCX13/40H



BGPCX16/50H

BGPCX13/40H	BGPCX16/50H
Forward Combination Compactor	Heavy-Duty Plate Compactor

Engine	Honda GX120 - 118CC	Honda GX160 - 163CC
Engine Type	Gasoline	
Centrifugal Force	2,923 lbf	3,596 lbf
Travel Speed	65.6ft/min	69ft/m
Plate Size (W x L)	15.75" x 24"	19.7" x 16.5"
Weight	184 lbs	200 lbs



BGRPX35/50H



BGRPX59/65H

BGRPX35/50H	BGRPX59/65H
Reversible Plate Compactor	Reversible Plate Compactor

Engine	Honda GX200 - 196CC	Honda GX390 - 389CC
Engine Type	Gasoline	
Centrifugal Force	7,868 lbf	13,264 lbf
Travel Speed	85ft/min	92ft/m
Plate Size (W x L)	19.7" x 27.7"	25.6" x 37.2"
Weight	397 lbs	794 lbs