

SPRING & SUMMER 2026

PRICES IN EFFECT UNTIL JUNE 30TH, 2026

MILLING DRILLING
MACHINE with
SAFETY GUARD
& LIMIT SWITCH

PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8



OPTIONAL

TABLE
POWERFEED
ATTACHMENT
PFM-32

For # PDM-30

\$679.

5 PC. ACCESSORY
BONUS PACKAGE FREE

INCLUDED WITH THE PURCHASE OF A
PDM-30 MILLING DRILLING MACHINE.
Includes: angle drill press vise,
drill press vise, 1/2" collet chuck
arbor, carbide tipped face mill
and face mill arbor.



MILLING DRILLING
MACHINE STAND
SS-45

\$399.99

\$2999.

**3200 PSI GASOLINE HIGH
PRESSURE WASHER**
KWP-3200

- 3200 PSI, 2.5 GPM maximum water flow
- Low oil shut-off system
- Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke
air cooled OHV engine

\$399.99



PREMIUM HYBRID POLYMER
GARDEN
HOSES



K-5058GH
5/8" x 50 ft.

\$45.

K-10058GH
5/8" x 100 ft. **\$77.**



HYBRID POLYMER INDUSTRIAL AIR HOSES				
Model	Length	Width	Blade Material	TPI
K-2514H	25x1/4"	\$21.99		
K-2538H	25x3/8"	\$29.99		
K-5014H	50x1/4"	\$33.99		
K-5038H	50x3/8"	\$44.99		
K-10014H	100x1/4"	\$54.99		
K-10038H	100x3/8"	\$65.99		

300 PSI MAXIMUM PRESSURE

RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID
POLYMER AIR HOSE



K-5038FRL

- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware

\$109.99

100 FT. x 1/4" REEL WITH HYBRID
POLYMER AIR HOSE



K-10014FRL

- 360° swivel base
- All-Weather Flexibility (-40°C to 65°C)

\$109.99

KING RULES THE METAL SHOP   

MEUNIER TOOLS

4860, boul. Industriel
Sherbrooke, QC
J1R 0P4

819 820-0487



KC-8314

- Powerful 15 Amp., 1,450 RPM motor
- High quality 14" TCG/FTG Chop Saw blade included for cutting mild steel and ferrous metals
- Quick release vise with adjustable positive stops a 0°, 15°, 25°, 45°
- Comes with 14" X 72 carbide tooth TCG/FTG Chop Saw blade and adjustment hex. keys



\$499.99

Replacement
14" Dry-cut metal
cutting chop
saw blade 14" x 72
KSC-1472

\$119.99

STATIONARY
6.5 PEAK HP
60 GALLON
AIR
COMPRESSOR

KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single
stage oil lubricated pump

\$1199.



Thermally protected
Marathon® 6.5 peak
HP motor with reset



ASME safety valve

PORTABLE VARIABLE SPEED
METAL CUTTING BANDSAW

KC-8377

- Variable speed 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever
- Comes with standard 44 7/8" x 1/2" blade



\$199.99

OPTIONAL
Miter Stand turns this Bandsaw
into a Cut-off Saw
SS-8377 **\$99.99**

5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability



\$725.

H.S.S. & BI-METAL BLADES					
Model	Length	Width	Blade Material	TPI	Thickness
KBB-115-610	64 1/2"	1/2"	H.S.S.	6-10	.025"
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"
KBB-115-BM-610	64 1/2"	1/2"	Bi-Metal	6-10	.025"
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"

7" X 12" METAL CUTTING BANDSAW

KC-712BC

- 11.5 Amp. motor
- Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)



\$1850.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")					
Model	Length	Width	Blade Material	TPI	Thickness
KBB-712-610	93"	3/4"	H.S.S.	10	.032"
KBB-712-14	93"	3/4"	H.S.S.	14	.032"
KBB-712-18	93"	3/4"	H.S.S.	18	.032"
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"

HEPA

CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145

FITS: 8520LP, 8530LPN,
8531LP-B, 8540LSTN

KVAC-1150

Fits: 8560LST



\$39.99

8520LP

- 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



\$69.99

WET-DRY VACUUMS

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$89.99

8540LSTN

- Powerful 5 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool




\$179.99

Double filtration system

8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$299.99

AIR COMPRESSORS

3 GALLON ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1030A

- 3.5 CFM @ 40 PSI
- 2.8 CFM @ 90 PSI tank pressure

1.1 HP (PEAK)
(64 Decibels)



\$199.99

3000 hours

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI



\$799.

5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI



2 cylinder cast iron
single stage oil
lubricated pump

2

\$899.

HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron
single stage oil
lubricated pump



TIRE INFLATION GUN WITH PRESSURE GAUGE



\$23.99



\$9.99

SPRAY GUN KITS

Proudly Canadian 

8180



\$39.99

8182

\$49.99

8185

\$69.99

8190 HVLP



\$79.99

8195



\$99.99

INDUSTRIAL 2- STAGE AIR COMPRESSORS

KING INDUSTRIAL

2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-5280V3-MS

- 200 PSI max pressure
- 19 CFM @ 175 PSI



2 cylinder cast iron
2-stage oil
lubricated pump

2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI



2 cylinder cast iron
2-stage oil
lubricated pump

Comes with
magnetic
starter

ASME
safety
valve

Comes with
magnetic
starter

ASME
safety
valve

\$3599.

\$3999.

3" X 79" METAL BELT SANDER



\$1099.

2 HP
(220V)

Comes with Canadian made 80 Grit pure zirconia sanding belt

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



3" X 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3" x 79"	60	1	\$19.99
SB-379-80	3" x 79"	80	1	\$19.99
SB-379-120	3" x 79"	120	1	\$19.99

BENCH GRINDER STAND SS-150N

- Made of cast-iron & alloy steel
- Height of 31-1/2" from the floor
- Water reservoir for quenching workpieces

BENCH GRINDERS

KC-690LN

• 3450 RPM

Built-in LED lights

\$79.99



6"

KC-890

• 7 Amp. motor

• 3450 RPM

\$149.



8"

KC-1090N

• Powerful 1-1/2 HP

13 Amp. 1,750 RPM

low speed motor

• Comes with, medium 60 Grit and course 36 Grit 10" x 1" grinding wheels

\$349.99

POWERFUL 13 AMP. MOTOR

8" LOW SPEED BENCH GRINDER WITH LIGHT



KC-895LS

Comes with course

60 grit and fine

120 Grit

8" x 1" white

aluminum

oxide

grinding

wheels

\$159.99

10" WET/DRY SHARPENER KIT

KC-4900S

• 1.6 Amp. motor quietly rotates at 115 RPM for maximum

precision during sharpening

• Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



\$249.99

OPTIONAL

4 pc. Accessory Kit

KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



\$69.99

8" LOW SPEED LONG SHAFT BUFFER

KC-899LSB

• Powerful 1/2 HP motor

• Arbor shaft diameter: 5/8"

• Motor no load speed: 1,750 RPM

• Comes with two 8" x 1/2" spiral

sewn cloth buffering wheels



2PC. 8" X 1/2" BUFFING WHEEL KIT

KM-131

\$39.99

2" X 42" BELT & 8" DISC SANDER

KC-770FX

NEW & IMPROVED WITH SAFETY GUARDS

• Both a 1" and a 2" sanding

• Comes with 1" x 42" sanding

belt, 2" x 42" sanding

belt, 1" & 2" belt

platen, 2 x 8" adhesive

sanding discs, miter

gauge and adjustment

hex. keys



\$499.

2" X 42" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-242-60Z	2"x42"	60	1	\$9.99
SB-242-80Z	2"x42"	80	1	\$9.99
SB-242-100Z	2"x42"	100	1	\$9.99
SB-242-120Z	2"x42"	120	1	\$9.99

PURE ZIRCONIA 8" SANDING DISCS

Model	Disc Size	Grit	Unit	Price
SD-8-60Z	8"	60	1	\$9.99
SD-8-80Z	8"	80	1	\$9.99
SD-8-100Z	8"	100	1	\$9.99
SD-8-120Z	8"	120	1	\$9.99

\$1699.

1.5 HP (220V)
Direct
Drive
Motor

\$1699.

12"
HEAVY-DUTY
BENCH
GRINDER
WITH
FLOOR
STAND

KC-1295

- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

• Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

• Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection

METAL LATHES & ACCESSORIES



7" X 12"

5.5 Amp.
(110V)

INCLUDES - 4"- 3 JAW CHUCK & STEADY REST

VARIABLE SPEED MINI METAL LATHE

KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.



10" X 22"

BELT DRIVE METAL LATHE

12 Amp.
(110V)

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$2999.

**OPTIONAL
CABINET
STAND
SS-1022**

\$399.99



12" X 36"

GEARHEAD METAL LATHE

1.5 HP
(220V)

• 1 1/2" spindle bore

• Spindle speeds 9 (60-1500) RPM


• 40(4-112 T.P.I) 30.2 - 4.5mm) thread cutting

- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

**WITH TAPER ATTACHMENT
KC-1236ML/KM-053/SS-1236**

\$5999.

\$6499.



14" X 40"

GEARHEAD METAL LATHE

2 HP
(240V)

2" Spindle Bore

• Spindle speeds 8(70-2000 RPM)

• 34(4-56 T.P.I) 26(4.4 - 7mm) thread cutting

- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2


\$9499.



**WITH TAPER ATTACHMENT
KC-1440ML-2/KM-054**

\$9999.

**CABINET STAND WITH
FOOT BRAKE INCLUDED**



16" X 40"

HIGH PRECISION

"TOOL ROOM" METAL LATHE

4 HP
(600V)



• Spindle speeds 16(45-1800 RPM)

• 2" spindle bore diameter

• 45(2-72 T.P.I) thread cutting

- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4" jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14"(D1-6) camlock face plate, MT #4 standard dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

\$16,999.

**WITH TAPER ATTACHMENT
KC-1640ML/KM-055**

\$17,499.

**CABINET STAND WITH
FOOT BRAKE INCLUDED**

TAPER ATTACHMENT



Taper Attachment must be ordered together with Metal Lathe

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



\$269.99

KQCT-0012
Fits most lathes up to 0 to 12" swing
\$349.99

KQCT-1015
Fits most lathes between 10" to 15" swing
\$449.99

LIVE CENTERS

KLC-2M

TAPER SHANK -
MT#2



\$69.

KLC-3M

TAPER SHANK -
MT#3

\$79.



2 axis (X, Y) digital readout (DRO)
Line interruption switch system and safety guard with limit switch protection

WITH DIGITAL READOUT & TAPER ATTACHMENT

KC-1440ML-2/54/DRO

\$10,999.

7 PC. CARBIDE CUTTER HOLDERS

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)

INCLUDED
Screwdriver and
3 adjustment keys



KM-047
3/8" Shank

\$199.

KM-057
5/8" Shank

\$219.


Fits Models:
KC-0712ML, KC-1022ML, KC-1236ML, 1440ML-2, 1440ML-6, KC-1640GH, KC-1640ML & KC-1660GH

MILLING DRILLING MACHINES

RADIAL DRILLING MACHINE WITH SAFETY GUARD

KC-35/SS-35

- 1.5 HP Motor
- 21 1/4" Max. distance spindle nose to table
- Speeds 5(340-3000 R.P.M.)
- 5 1/4" Spindle stroke
- MT #3 Spindle taper
- 38 1/2" swing
- 4 1/2" Column diameter
- 21 5/8" x 19 5/8" Table dimensions
- 14" Head travel
- 1/2" chuck with key, safety guard and stand



\$4999.

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII



\$399.99

DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"



KC-DPRT-8

Size 8"

\$159.99

K-TYPE SWIVEL BASE MILLING VISES

3" 4" 6" 8"

KMV-3M KMV-4M KMV-6M KMV-8M

\$129. \$199. \$279. \$379.



HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8

Size 8"

6

\$499.



\$599.

MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motor
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



\$2299.

OPTIONAL

MILLING DRILLING MACHINE STAND SS-20VS

\$349.

MINI MILLING DRILLING MACHINE

KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys



\$1099.

GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8



\$5999.

OPTIONAL

TABLE POWERFEED ATTACHMENT PFM-32

For # KC-45

\$679.



OPTIONAL

MILLING DRILLING MACHINE STAND SS-45

\$399.99



12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°



\$2999.

OPTIONAL

12" COLD CUT SAW BLADE KM-1200

(Made in Italy)

\$399.



16" X 20" COMBO LATHE/MILL

KC-1620CLM

- Comes with 5"- 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

\$3299.

OPTIONAL

STAND SS-1620CLM

\$399.



Two powerful 3/4 HP 110V motors



11 PC. METAL LATHE CUTTER SET

KM-146

3/8" Shank
Fits: KC-0712ML,
KC-1022ML,
KC-1620CLM

\$59.99

6

MILLING DRILLING MACHINES & ACCESSORIES

Drill Presses with Digital Readout

12" BENCH VARIABLE SPEED DRILL PRESS



15" FLOOR VARIABLE SPEED DRILL PRESS
KC-15HS-VS
• Powerful 3/4 HP, 8.6 Amp, motor
• 4" stroke capacity allows drilling workpieces up to 4" thick
• Variable speeds 2 (280 - 1100/900-3300) RPM
• Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$599.99

17" DRILL PRESS

DRILL PRESS CHUCK SAFETY GUARD
KM-118
Fits KC-118FC **\$29.99**



17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



22" DRILL PRESS

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



KC-30HS-VS
• Powerful 1 HP motor
• E-stop 2 step activation safety switch with line voltage interruption
• Variable speeds: 400-5,000 RPM
• 5/8" drill chuck and key

\$2999.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HS (220V)

KC-40HS-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

FREE ANGLE VISE



\$4999.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HC (220V)

KC-40HC-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

FREE ANGLE VISE



\$5999.

28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-50

- 2 HP motor
- 27 1/2" swing
- 7" stroke
- Speeds (60-870 / 120-1740)
- 1 1/2" capacity
- Spindle taper MT#4
- 5/8" Chuck & key included



\$6999.

29 PC. TITANIUM DRILL BIT SET

KDB-29T



CROSS SLIDE VISES

KCV-4N



DRILL PRESS VISES

KPV-3



KEYLESS DRILL CHUCKS

KDC-12X



COMPOUND SLIDE TABLE

KCT-618



52 PC. CLAMPING KITS

KCL-5212



20 PC. TITANIUM COATED END MILL SET

KM-120



2500W GASOLINE DIGITAL INVERTER GENERATOR



KCG-2500i

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Powerful 3 HP**, 4 stroke air cooled OHV engine DC output for charging smartphones, tablets or any USB powered equipment
- Carbon monoxide (CO DETECTOR™) safety system is designed to detect harmful levels of CO



\$599.99



Optional **\$99.99**

KX2P Parallel Cable Kit for connectivity between two inverters 2500W inverters

PALLET TRUCKS

KC-2145N-NYL
(21" X 45")
Nylon wheels

429.99

KC-2748N-NYL
(27" X 48")
Nylon wheels

429.99

QUICK RELEASE FOOT PEDAL



Min. height of forks 2.95"
Max. raised height of forks 7 1/2"

5,500 lbs capacity

KC-2748NP
(27" X 48")
Poly wheels

429.99

QUICK RELEASE FOOT PEDAL



QUICK RELEASE FOOT PEDAL

GASOLINE WATER PUMPS

- 105' (KCG-2WPG) or 92' (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)



KCG-2WPG
\$339.99

GASOLINE ENGINES

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction



KCG-65
Powerful 6.5 HP,
4 stroke air cooled
OHV engine

8 \$229.

KCG-130
Powerful 13 HP,
4 stroke air cooled
OHV engine

\$49.

WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor

CLEAR PVC REINFORCED SUCTION

\$119.99

KW-252
2" X 25 ft

\$199.99

KW-253
3" X 25 ft

FLAT PVC DISCHARGE HOSES

\$99.99

KW-502
2" X 50 ft

\$119.99

KW-503
3" X 50 ft



5000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR



KCG-5000i-DF

- Powerful 8 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



Remote control start



\$1199.99

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor



Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor

11000W TRI-FUEL DIGITAL INVERTER GENERATOR



KCG-11000i-TF

- Powerful 18 HP, 4 stroke air cooled motor
- DC dual USB ports: 5V/3.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



\$2199.99

Comes with propane tank and natural gas connection cables.



15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- Powerful 20 HP**, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

AUTO-IDLE DOWN FUNCTION extends running time by automatically adjusting engine speed to idle when not under load



\$2499.99



GASOLINE/PROPANE GENERATORS

5100W GASOLINE GENERATOR WITH WHEEL KIT KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



5100W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-5101GE-DF

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation



\$599.99

Comes with propane tank connection cable



6500W GASOLINE GENERATOR WITH ELECTRIC START

KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$649.99



10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. AC

\$899.99



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length:
10 feet

Gauge (AWG)/Cord:
12 (STW 4/C)



\$39.99

K-L1430R-25

Extension cord length:
25 feet
Gauge (AWG)/Cord:
10 (STW 4/C)



\$99.99

K-L1430-25-4T

Extension cord length:
25 feet
Gauge (AWG)/Cord:
10 (STW 4/C)



\$99.99

K-L1430-25EXT

Extension cord length:
25 feet
Gauge (AWG)/Cord:
10 (STW 4/C)



\$99.99

DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (STW 3/C)



\$99.99

50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2

Cord length: 1.5 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$69.99

Comes with propane tank and natural gas connection cables.



10000W TRI-FUEL GENERATOR WITH ELECTRIC START

KCG-10002GE-TF

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 1 20V/240V/30 Amp. AC



TRI-FUEL
ELECTRIC START
BATTERY INCLUDED

12600W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12600GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets



\$1099.99



12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and DC reset



Comes with propane tank connection cable

\$1199.99



GENERATOR HOME CONNECTION KIT

\$109.99

Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



METAL FORMING MACHINES



SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1699.



KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$749.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$649.

3 IN 1

METAL FORMING MACHINES



SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$699.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$999.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1599.

12" HAND SHEAR

KC-HS12

- Level arm with compensating spring

\$249.

4 TON HAND NOTCHER

KC-N616

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90")
- Weight 165 lbs

\$749.

ARBOR PRESS

KAP-3

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$379.

COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$749.

16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1199.

**NEW & IMPROVED
REMOVABLE HARDENED FINGERS**

FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs

52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs



\$2799.

\$3999.

METAL CUTTING BANDSAWS

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch



\$999.

8 Amp.
(110V)

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

ADJUSTABLE HYDRAULIC CYLINDER



\$3599.

6 Amp.
(220V)

10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves



PRECISION
PRESSURE
GAUGE
INDICATES
THE BLADE
TENSION



11.5 Amp. @ 220V
2.6 Amp. @ 600V

H.S.S. BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

\$5799.

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V (8 Amp. 220V)

KC-918S-V-600V (2.5 Amp. 600V)

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off

- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles



VARIABLE SPEED

\$8499.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

\$7999.

BI-METAL BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99

THE MOST INNOVATIVE DRILL PRESSES EVER!

nova  **VIKING**
BY/PAR: KING INDUSTRIAL **dvr**

16" NOVA VIKING BENCHTOP DVR DRILL PRESS 83702

- Powerful direct drive **1 HP** high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable



\$1599.99

16" NOVA VIKING DVR DRILL PRESS 83705

Safety Guard with Limit Switch

83750
Fits #83702 & #83705

\$399.

- Powerful direct drive **1 HP** high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

\$1799.

18" NOVA VOYAGER DVR DRILL PRESS 58006

Safety Guard with Limit Switch

58501
Fits #58006

\$399.

- Powerful direct drive **1.75 HP** high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

\$2499.

nova™

nova ECLIPSE
BY/PAR: KING INDUSTRIAL **dvr**

7" x 12"

NOVA DVR METAL CUTTING BANDSAW 59002C

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit



\$3599.

DVR Smart
THE WORLD FIRST SMART BANDSAW WITH DIGITAL DISPLAY

17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



23 1/2" x 17" cast iron table
Tilts 5° to the left & 45° to the right

2HP
(8 Amp. @ 220V)

\$4499.

18" METAL CUTTING BANDSAW KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp.
(220V)

7" x 12"

NOVA DVR DUAL SWIVEL METAL CUTTING BANDSAW 59012DS

nova EQUINOX
BY/PAR: KING INDUSTRIAL **dvr**

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Powerful direct drive 1 HP high torque brushless motor with no pulleys or belts to cause vibration



\$4999.

NEW

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-610	93"	3/4"	H.S.S.	10	.032"	\$29.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$29.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$29.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$89.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$89.99